

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

OxyChem[®]



MATERIAL SAFETY DATA SHEET

1. PRODUCT AND COMPANY INFORMATION

Occidental Chemical Corporation

5005 LBJ Freeway, Suite 2200

P.O. Box 809050

Dallas, Texas 75380-9050

24 HOUR EMERGENCY TELEPHONE:

1-800-733-3665 or 1-972-404-3228 (U.S.);

32.3.575.55.55 (Europe);

1800-033-111 (Australia)

TO REQUEST AN MSDS:

MSDS@oxy.com or 1-972-404-3245

CUSTOMER SERVICE:

1-800-752-5151 or 1-972-404-3700

MSDS NUMBER: M31866

SUBSTANCE: CAUSTIC POTASH LIQUID (ALL GRADES)

TRADE NAMES:

Caustic Potash Commercial Grade 10%, 25%, 30%, 35%, 40%, 45%, 48%, 50%; Caustic Potash Industrial Grade 45%, 50%; Caustic Potash Membrane Dilute Solution 45%, 48%, 50%; Caustic Potash Liquid (10-40% Solution)

SYNONYMS:

KOH, liquid potash

PRODUCT USE: glass manufacture, cleaner, process chemical, petroleum industry

REVISION DATE: Dec 20 2007

2. HAZARDS IDENTIFICATION

OSHA REGULATORY STATUS: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

GHS CLASSIFICATION:

Acute toxicity, Category 3

GHS SYMBOL:



GHS SIGNAL WORD: DANGER

GHS HAZARD STATEMENT:

Toxic if swallowed

Harmful if inhaled

EMERGENCY OVERVIEW:

COLOR: colorless

PHYSICAL FORM: liquid

ODOR: odorless

SIGNAL WORD: DANGER

MAJOR HEALTH HAZARDS: CORROSIVE. CAUSES BURNS TO THE RESPIRATORY TRACT, SKIN, EYES AND GASTROINTESTINAL TRACT. CAUSES PERMANENT EYE DAMAGE. EFFECTS OF CONTACT OR INHALATION MAY BE DELAYED.

PHYSICAL HAZARDS: Mixing with water, acid or incompatible materials may cause splattering and release of heat.

ECOLOGICAL HAZARDS: This material has exhibited moderate toxicity to aquatic organisms.

PRECAUTIONARY STATEMENTS: Do not get in eyes, on skin, or on clothing. Do not breathe vapor or mist. Keep container tightly closed. Wash thoroughly after handling. Use only with adequate ventilation.

POTENTIAL HEALTH EFFECTS:

INHALATION:

Inhalation will cause severe irritation, possible burns with pulmonary edema, which may lead to pneumonitis.

SKIN CONTACT:

Skin contact with this material may cause severe irritation and corrosion of tissue.

EYE CONTACT:

Eye contact can cause severe irritation, corrosion with possible corneal damage and blindness.

INGESTION:

Ingestion may cause irritation, corrosion/ulceration, nausea, and vomiting.

TARGET ORGANS: eyes, skin, respiratory system

CHRONIC EFFECTS:

In general, chronic effects are due to long-term irritation. This material may cause dermatitis on the skin, or recurrent corneal ulceration and visual disturbances. In rare cases reports have noted long-term inhalation

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

causes bronchial inflammatory reaction or obstructive airway dysfunction.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: respiratory system (including asthma and other breathing disorders)

CARCINOGEN STATUS:

OSHA: No

NTP: No

IARC: No

See Section 11: TOXICOLOGICAL INFORMATION

3. COMPOSITION/INFORMATION ON INGREDIENTS

COMPONENT: WATER

CAS NUMBER: 7732-18-5

PERCENTAGE: 49-90

COMPONENT: POTASSIUM HYDROXIDE

CAS NUMBER: 1310-58-3

PERCENTAGE: 10-51

4. FIRST AID MEASURES

INHALATION: If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. If respiration or pulse has stopped, have a trained person administer Basic Life Support (Cardio-Pulmonary Resuscitation/Automatic External Defibrillator) and CALL FOR EMERGENCY SERVICES IMMEDIATELY.

SKIN CONTACT: Immediately flush contaminated areas with water. Remove contaminated clothing, jewelry, and shoes immediately. Wash contaminated areas with soap and water. Thoroughly clean and dry contaminated clothing before reuse. Discard contaminated leather goods. GET MEDICAL ATTENTION IMMEDIATELY.

EYE CONTACT: Immediately flush eyes with a directed stream of water for at least 15 minutes, forcibly holding eyelids apart to ensure complete irrigation of all eye and lid tissues. Washing eyes within several seconds is essential to achieve maximum effectiveness. GET MEDICAL ATTENTION IMMEDIATELY.

INGESTION: Never give anything by mouth to an unconscious or convulsive person. If swallowed, do not induce vomiting. Give large amounts of water. If vomiting occurs spontaneously, keep airway clear. Give more water when vomiting stops. GET MEDICAL ATTENTION IMMEDIATELY.

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

NOTE TO PHYSICIAN: The absence of visible signs or symptoms of burns does NOT reliably exclude the presence of actual tissue damage. Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS: Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. May react with chemically reactive metals such as aluminum, zinc, magnesium, copper, etc. to release hydrogen gas which can form explosive mixtures in air.

EXTINGUISHING MEDIA: Use extinguishing agents appropriate for surrounding fire.

FIRE FIGHTING: Move container from fire area if it can be done without risk. Cool containers with water. Wear NIOSH approved positive-pressure self-contained breathing apparatus. Avoid contact with skin.

SENSITIVITY TO MECHANICAL IMPACT: Not sensitive

SENSITIVITY TO STATIC DISCHARGE: Not sensitive

FLASH POINT: Not flammable

6. ACCIDENTAL RELEASE MEASURES

OCCUPATIONAL RELEASE:

Wear appropriate personal protective equipment recommended in Section 8 of the MSDS. Completely contain spilled material with dikes, sandbags, etc. Keep out of water supplies and sewers. Liquid material may be removed with a vacuum truck. Flush spill area with water, if appropriate. This material is alkaline and may raise the pH of surface waters with low buffering capacity. Releases should be reported, if required, to appropriate agencies. Notify Local Emergency Planning Committee and State Emergency Response Commission for release greater than or equal to RQ (U.S. SARA Section 304). If release occurs in the U.S. and is reportable under CERCLA Section 103, notify the National Response Center at (800)424-8802 (USA) or (202)426-2675 (USA).

7. HANDLING AND STORAGE

STORAGE: Store and handle in accordance with all current regulations and standards. Keep container tightly closed and properly labeled. Do not store in aluminum container or use aluminum fittings or transfer lines, as flammable hydrogen gas may be generated. Keep separated from incompatible substances (see Section 10 of the MSDS).

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

HANDLING: Avoid breathing vapor or mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. When mixing, slowly add to water to minimize heat generation and spattering.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

CAUSTIC POTASH LIQUID (ALL GRADES):

POTASSIUM HYDROXIDE:

2 mg/m³ ACGIH ceiling

BIOLOGICAL LIMIT VALUES:

CAUSTIC POTASH LIQUID (ALL GRADES):

No biological limit value(s) available.

VENTILATION: Provide local exhaust ventilation where dust or mist may be generated. Ensure compliance with applicable exposure limits.

EYE PROTECTION: Wear chemical safety goggles with a faceshield to protect against skin and eye contact when appropriate. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

CLOTHING: Wear chemical resistant clothing and rubber boots when potential for contact with the material exists. Always place pants legs over boots. Thoroughly clean and dry contaminated clothing before reuse. Discard contaminated leather goods.

GLOVES: Wear appropriate chemical resistant gloves.

PROTECTIVE MATERIAL TYPES: butyl rubber, natural rubber, nitrile, polyvinyl chloride (PVC), Tychem®

RESPIRATOR: Where dust or vapor concentration exceeds or is likely to exceed applicable exposure limits, a NIOSH approved respirator is required.

If eye irritation occurs, a full face style mask should be used.

Air-purifying respirators should be equipped with a minimum N-95 dust/mist filter (1/2 facepiece) and N-100 dust/mist filter (full facepiece).

When an air-purifying respirator is not adequate or during spills and/or emergencies of unknown concentrations, a NIOSH approved self-contained breathing apparatus or airline respirator with full-face piece is required.

A respiratory protection program that meets 29 CFR 1910.134 must be followed whenever workplace conditions warrant the use of a respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

PHYSICAL STATE: liquid
APPEARANCE: clear
COLOR: colorless
ODOR: odorless
BOILING POINT: 216-289 F (102-143 C)
FREEZING POINT: -128 to 39 F (-89 to 4 C)
FLASH POINT: Not flammable
VAPOR PRESSURE: Not available
VAPOR DENSITY: Not available
SPECIFIC GRAVITY (water=1): 1.09-1.52 @ 15.6 C
DENSITY: 9.09-12.67 lbs/gal @ 15.6 C
WATER SOLUBILITY: 100%
PH: 12-14
VOLATILITY: Not available
ODOR THRESHOLD: Not available
EVAPORATION RATE: Not available
COEFFICIENT OF WATER/OIL DISTRIBUTION: Not available

10. STABILITY AND REACTIVITY

REACTIVITY: Stable at normal temperatures and pressure.

CONDITIONS TO AVOID: Mixing with water, acid or incompatible materials may cause splattering and release of large amounts of heat. Will react with some metals forming flammable hydrogen gas. Carbon monoxide gas may form upon contact with reducing sugars or food and beverage products in enclosed spaces.

INCOMPATIBILITIES: acids, flammable liquids, halogenated compounds, prolonged contact with aluminum, brass, bronze, copper, lead, tin, zinc or other alkali sensitive metals or alloys

HAZARDOUS DECOMPOSITION:
Thermal decomposition products: None known.

POLYMERIZATION: Will not polymerize.

11. TOXICOLOGICAL INFORMATION

CAUSTIC POTASH LIQUID (ALL GRADES):

TOXICITY DATA: When in solution, this material will affect all tissues with which it comes in contact. The severity of the tissue damage is a function of concentration, the length of tissue contact time, and local tissue conditions. After exposure there may be a time delay before irritation and other effects occur. This material is a strong irritant and is corrosive to the skin, eyes, and mucous membranes. This material may cause severe burns and permanent damage to any tissue with which it comes into contact.

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

12. ECOLOGICAL INFORMATION

ECOTOXICITY DATA:

FISH TOXICITY: This material has exhibited moderate toxicity to aquatic organisms. For potassium hydroxide: 80 mg/L 96 hours LC50 Mosquito fish; 165 mg/L 24 hours LC50 Guppy

FATE AND TRANSPORT:

BIODEGRADATION: This material is inorganic and not subject to biodegradation.

PERSISTENCE: This material is alkaline and may raise the pH of surface waters with low buffering capacity. This material is believed to exist in the disassociated state in the environment.

BIOCONCENTRATION: This material is believed not to bioaccumulate.

OTHER ECOLOGICAL INFORMATION: This material has exhibited slight toxicity to terrestrial organisms.

13. DISPOSAL CONSIDERATIONS

Reuse or reprocess if possible. Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D002.

14. TRANSPORT INFORMATION

U.S. DOT 49 CFR 172.101:

PROPER SHIPPING NAME: Potassium hydroxide, solution

ID NUMBER: UN1814

HAZARD CLASS OR DIVISION: 8

PACKING GROUP: II

LABELING REQUIREMENTS: 8

DOT HAZARDOUS SUBSTANCE(S):

Potassium hydroxide 1000 lb(s) (454 kg(s))

CANADIAN TRANSPORTATION OF DANGEROUS GOODS:

SHIPPING NAME: Potassium hydroxide, solution

UN NUMBER: UN1814

CLASS: 8

PACKING GROUP/RISK GROUP: II

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

15. REGULATORY INFORMATION

U.S. REGULATIONS:

CERCLA SECTIONS 102a/103 HAZARDOUS SUBSTANCES (40 CFR 302.4):

POTASSIUM HYDROXIDE: 1000 LBS RQ

SARA TITLE III SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355.30): Not regulated.

SARA TITLE III SARA SECTIONS 311/312 HAZARDOUS CATEGORIES (40 CFR 370.21):

ACUTE: Yes

CHRONIC: No

FIRE: No

REACTIVE: No

SUDDEN RELEASE: No

SARA TITLE III SECTION 313 (40 CFR 372.65): Not regulated.

OSHA PROCESS SAFETY (29CFR1910.119): Not regulated.

FDA: This material has Generally Recognized as Safe (GRAS) status under specific FDA regulations. Additional information is available from the Code of Federal Regulations (CFR) which is accessible on the FDA's website.

STATE REGULATIONS:

California Proposition 65: This product is not listed, but it may contain contaminants known to the State of California to cause cancer or reproductive toxicity as listed under Proposition 65 State Drinking Water and Toxic Enforcement Act. For additional information, contact Customer Service.

NEW JERSEY WORKER AND COMMUNITY RIGHT TO KNOW:

REPORTING REQUIREMENT:

WATER 7732-18-5 49-90%

POTASSIUM HYDROXIDE 1310-58-3 10-51%

RIGHT TO KNOW HAZARDOUS SUBSTANCE LIST:

POTASSIUM HYDROXIDE 1310-58-3 10-51%

SPECIAL HEALTH HAZARD SUBSTANCE LIST:

POTASSIUM HYDROXIDE 1310-58-3 10-51%

PENNSYLVANIA RIGHT TO KNOW:

REPORTING REQUIREMENT:

WATER 7732-18-5 49-90%

POTASSIUM HYDROXIDE 1310-58-3 10-51%

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

HAZARDOUS SUBSTANCE LIST:

POTASSIUM HYDROXIDE 1310-58-3 10-51%

ENVIRONMENTAL HAZARDOUS SUBSTANCE LIST:

POTASSIUM HYDROXIDE 1310-58-3 10-51%

SPECIAL HAZARDOUS SUBSTANCE LIST:

Not regulated.

CANADIAN REGULATIONS:

CONTROLLED PRODUCTS REGULATIONS (CPR): This product has been classified in accordance with the criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

WHMIS CLASSIFICATION: E.

NATIONAL INVENTORY STATUS:

U.S. INVENTORY (TSCA): All the components of this substance are listed on or are exempt from the inventory.

TSCA 12(b) EXPORT NOTIFICATION: Not listed.

CANADA INVENTORY (DSL/NDL): All components of this product are listed on the DSL.

16. OTHER INFORMATION

NFPA RATINGS (SCALE 0-4): HEALTH=3 FIRE=0 REACTIVITY=1

HMIS RATINGS (SCALE 0-4): HEALTH=3 FLAMMABILITY=0 REACTIVITY=1

This information is intended solely for the use of individuals trained in the NFPA and/or HMIS systems. Rated using 2nd Edition HMIS Instructions.

MSDS SUMMARY OF CHANGES

- 2. HAZARDS IDENTIFICATION
- 5. FIRE FIGHTING MEASURES
- 8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Standard 29 CFR 1910.1200 requires that information be provided to employees regarding the hazards of chemicals by means of a hazard communication program including labeling, material safety data sheets, training and access to written records. We request that you, and it is your legal duty to, make all information in this Material Safety Data Sheet available to your employees.

CAUSTIC POTASH LIQUID (ALL GRADES)
M31866_NA_US

REVISION DATE: Dec 20 2007

IMPORTANT: The information presented herein, while not guaranteed, was prepared by competent technical personnel and is true and accurate to the best of our knowledge. NO WARRANTY OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, OR WARRANTY OR GUARANTY OF ANY OTHER KIND, EXPRESS OR IMPLIED, IS MADE REGARDING PERFORMANCE, SUITABILITY, STABILITY OR OTHERWISE. The information included herein is not intended to be all-inclusive as to the appropriate manner and/or conditions of use, handling and/or storage. Factors pertaining to certain conditions of storage, handling, or use of this product may involve other or additional safety or performance considerations. While our technical personnel will be happy to respond to questions regarding safe handling and use procedures, safe handling and use remains the responsibility of the customer. No suggestions for use are intended to, and nothing herein shall be construed as a recommendation to, infringe any existing patents or violate any laws, rules, regulations or ordinances of any governmental entity.